
## IDENTIFICATION KEY FOR GROUP 5 AND 6 : ORANGE, GREY, BLUE-GREY TO YELLOWWISH-GREY FRUITBODIES.



## IDENTIFICATION KEY FOR GROUP 5 AND 6 : ORANGE, GREY, BLUE-GREY TO YELLOWWISH-GREY FRUITBODIES

It is the only chanterelle whose all parts of the fruitbodies range from orange-red to cinnabar red. Its whitish flesh is orange near the surface. It can be found from July to 5.1 September in deciduous hardwood forests, particularly where oaks are present. **Cantharellus cinnabarinus GROUP 5** Orange coloured fruitbodies. Very small chanterelle whose fruitbodies come in two colors, yellow and orange. Its small size and color mean that it is often mistaken for an Hygrophorus. It fruits in 5.2 deciduous to hardwood forests. Its flesh ranges from yellow to orange-yellow. **Cantharellus minor** When mature, the fruitbodies of this chanterelle are easily recognized by their inverted pyramid shape. It fruits mainly during the month of August in forests where 6.1 coniferous trees are present. **Gomphus clavatus GROUP 6** Grey, blue-grey to yellowish-grey fruitbodies. Found in the mosses of coniferous forests, this small gray chanterelle is distinguished 6.2 by its depressed cap, umbonate in the center, and its forked false gills. Gravling fruits in late summer and autumn until the snow. Cantharellula umbonata